



ಭಾ. ಕೃ. ಅನು. ಪ - ಭಾರತೀಯ ತೋಟಗಾರಿಕಾ ಸಂಶೋಧನಾ ಸಂಸ್ಥೆ
ಹೆಸರಗಟ್ಟೆ ಲೇಕ್ ಪೋಸ್ಟ್, ಬೆಂಗಳೂರು-560 089

ಭಾ.ಕೃ.ಅನು.ಪ.- ಭಾರತೀಯ ಬಾಗವಾನಿ ಅನುಸಂಧಾನ ಸಂಸ್ಥಾನ
ಹೆಸರಗಟ್ಟೆ ಲೇಕ್ ಪೋಸ್ಟ್, ಬೆಂಗಳೂರು - 560 089
ICAR-Indian Institute of Horticultural Research
Hesaraghatta Lake Post, Bengaluru - 560 089

EPABX: 080-23086100 Extn: 218 & 217

FAX: 080-28466291 - Email: purchase.ihr@icar.gov.in



F.No.5-155/2021-22/SP/IIHR/

Dated: 15.03.2022

NOTICE FOR INVITING TENDER THROUGH E-PROCUREMENT

Online Bids are invited from interested firms under **Two bid system (Technical bid/financial bid)** for **Repair and renovation works @ PHT & AE building at ICAR- IIHR, Bangalore**, Manual bids will not be entertained.

Tender documents may be downloaded from e-procurement website of CPPP <https://eprocure.gov.in/eprocure/app> as per the schedule given in CRITICAL DATE SHEET as under:

CRITICAL DATE SHEET

Tender No.	F.No.5-155/2021-22/SP/IIHR/
Name of Organization	ICAR-INDIAN INSTITUTE OF HORTICULTURAL RESEARCH, Hesaraghatta Lake Post, Bangalore
Date and Time for Issue/Publishing	15.03.2022 at 04:00 PM
Document Download/Sale Start Date and Time	15.03.2022 at 04:00 PM
Bid Submission start Date and Time	15.03.2022 at 04:00 PM
Bid Submission End Date and Time	22.03.2022 at 03:00 PM
Date and Time for Opening of Technical Bids	24.03.2022 at 10:00 AM
Address for Communication	Asstt. Admn. Officer (Store Purchase), IIHR, Hesaraghatta Lake Post, Bangalore

Sd/-

SENIOR ADMINISTRATIVE OFFICER

INSTRUCTIONS FOR ONLINE BID SUBMISSION

1. The Tender form/bidder documents may be downloaded from the <https://eprocure.gov.in/eprocure/app>. **Online submission of Bids through Central Public Procurement Portal (<https://eprocure.gov.in/eprocure/app>) is mandatory.** Manual/Offline bids shall not be accepted under any circumstances.
2. Tenderers/bidders are requested to visit the website <https://eprocure.gov.in/eprocure/app> regularly. Any changes/modifications in tender enquiry will be intimated by corrigendum through this website only.
3. In case, any holiday is declared by the Government on the day of opening, the tenders will be opened on the next working day at the same time. The Council reserves the right to accept or reject any or all the tenders.
4. The interested Firms are required to deposit (in original) **EMD of Rs.9,000/-** in the shape of Demand Draft in favour of **THE DIRECTOR, ICAR, UNIT-IIHR payable at Bangalore** may be address to **Asstt. Asstt. Admn. Officer (Purchase), IIHR, Hessaraghatta Lake Post, Bangalore-560089** on or before **bid opening date and time as mentioned in the Critical Date Sheet.**
5. **Please note that only online Bids will be accepted. However hard copy of documents and technical brochures uploaded by the firm deposited to Asstt. Asstt. Admn. Officer (Purchase), IIHR, Hessaraghatta Lake Post, Bangalore-560089 on or before bid opening date and time as mentioned in the Critical Date Sheet.**
6. Bidders need not to come at the time of Technical as well as Financial bid opening at IIHR. They can view live bid opening after login on CPPP e-procurement portal at their remote end. If any dispute arises, Within Bengaluru Jurisdiction only.
7. The firms are also required to upload copies of the following documents for Technical eligibility and Evaluation:-

• **Technical Bid**

1. **Scanned copy of Firm's Registration under Shops and Establishment Act/ copy of the documents Registered with PWD/CPWD/MES/Railways/PWD.**
2. **PAN Card copy**
3. **GST Number with Registration Certificate**
4. **Bank details of the firm.**
5. **Scanned copy of similar contracts to Government Departments.**
6. **Income Tax Returns for the last three years (2016-17, 17-18, 18-19 or 2017-18, 18-19, 19-20, 2020-21)**
7. **Profit and loss account & Balance Sheet which are audited & duly certified by the**

- Chartered Accountant for the last three years.
8. Turnover of the business should be Rs.14.00 Lakhs per year, to be certified by Chartered Accountant as per Balance Sheets used for ITR filing.
 9. Scanned copy of work/supply order for having successfully completed similar works during last 5 years ending last day of month previous to the one in which bids are invited should be either of the following:
 - a) Three similar completed works costing not less than Rs.1,81,395/- (or)
 - b) Two similar completed works costing not less than Rs.2,26,744/- (or)
 - c) One similar completed work costing not less than Rs.3,62,790/-
(Similar work: Fixing vertical blinds, PVC flooring, C PVC water supply line, Aluminium partition and concrete work, Repair and Renovation work, Interior work, etc.)
 10. MSME or Udyog Aadhar or NSIC is a must for EMD Exemption otherwise, firms have to furnish EMD.
 11. Tender acceptance letter (Annexure-V) is mandatory.
 12. Latest copies of the GST returns for the current year/previous year.

• **Financial Bid:-**

- a) Price Bid as BOQ XXX.xls
- b) The estimates are made by qualified engineers of the institute and based on latest CPWD-DSR with all updates and correction slips. Firms/Contractors/Bidders should not quote too low or too high. To ensure quality materials, specification and workmanship, any tender with more than (+) or (-) 15% variation (over and above or below) will be summarily rejected.
- c) So, the bidders must take due care while quoting.
- d) Evaluation criteria: Tender will be awarded to the lowest quoted Firm among those firms qualified in the Technical Bid. In case, two or more firms quote the same rates, then the tender will be awarded to the Firm which has got more average turnover in the last 3 years, based on IT returns/Profit & Loss account/Turnover duly certified by the CA and uploaded along with Tender through CPP.

Sd/-

SENIOR ADMINISTRATIVE OFFICER

Terms & Conditions

1. The tenderer shall quote rates, which will include the supply, installation & other incidental charges. GST, if any, should be indicated separately.
2. The rates should be quoted as per the BOQ uploaded on the CPP Portal (reference may be obtained from Annexure-III). GST, if any, should be indicated separately. It must be noted that the contract shall be awarded to the firm which fulfils all the required terms and conditions and remains L-I for **Total cost**.
3. The firm must also possess valid PAN No. & GST registration number and a copy of the same must also be enclosed with the tender document.
4. Copy of Financial year 2016-17, 2017-18 & 2018-19 or 2017-18, 2018-19 & 2019-20, Income Tax Statement may be furnished.
5. The firm should be in existence for over 05 (Five) years in the trade with the business turnover of not less than Rs. **14 Lakhs** per annum for 2016-17, 2017-18 & 2018-19 or 2017-18, 2018-19, 2019-20, 2020-21. Chartered Accountant certified profit and Loss account, Balance sheet to this effect may be enclosed.
6. Modification in the tender documents after the closing date is not permissible.
7. The successful firm shall **commence work** within 10 days from the date of confirmed **work order** and if the work not completed in time then EMD shall be forfeited. The rates quoted shall be valid for one year from the date of opening of tender.
8. The contractor/bidder or his representative may contact the undersigned at **Tel. No. 080-23086100 Extn: 218 & 217** for any further clarification. No variation in terms of quality of the items shall be entertained or else EMD/Security deposit shall be forfeited.
9. The bidder is advised to visit the site of works at his own expenses and obtain all information that may be necessary for preparing the quotation. Submission of quotation is acceptance by the tenderer that he has inspected the site or he is aware of all conditions.
10. The Director, ICAR-IIHR, shall have the right to reject all or any of the offers, accept more than one offer, and assign part of the job without assigning any reason.
11. Merely quoting of lowest rates does not mean that order shall be given to that firm. The competent authority will finally decide on the basis of quality & performance of past installations.
12. The interested Firms are required to deposit (in original) an **Earnest Money Deposit of Rs.9,000/-** amount mentioned against item in the form of Demand Draft from any of the Commercial Bank in favour of **THE DIRECTOR, ICAR, UNIT-IIHR payable at Bangalore** may be address to **Asstt. Admn. Officer (Purchase), IIHR, Hessaraghatta Lake Post, Bangalore-560089 on or before bid opening date and time as mentioned in the Critical Date Sheet**. No quotation shall be considered without the earnest money deposit. Demand draft drawn in favour of any officer other than 'THE DIRECTOR, ICAR UNIT-IIHR payable at Bangalore' will not be accepted and the tender will be rejected. The earnest money will be refunded only after the finalization of the procurement and no interest will be paid on earnest money. The request letter for refund of EMD & performance security is to be submitted by the firm.
13. Rates once finalized will not be enhanced/reduced during the currency of the contract.
14. In case, the successful bidder shows inability at any stage, after the contract is finalized and awarded, for whatsoever reason(s), to honour the contract, the earnest money /performance security deposited would be forfeited.
15. The Director, ICAR-IIHR reserves the right to cancel the contract at any time during the currency period of the contract without giving any reason.
16. The firm, to whom the tender will be awarded, will have to deposit the **performance security**

equal to 3% of the total amount within 21 days from the date of receipt of work order and the same will be retained during the Defect liability period(warranty) of One year. In the sense, for any material and execution defects, the firm has to set right the defects within 10 working days and maintain the said work. If the services are not found to be satisfactory, the performance security is liable to be forfeited. No interest will be paid on performance security.

17. If any dispute(s) arises between IIHR and the firm with reference to the contract, IIHR will decide it and its decision will be binding on the firms.
18. Bid Validity: 180 days
19. Payment:- No advance or part payment will be given. The payment will be released after satisfactory completion of the work and certificate from the Indentor/Engineer.
20. **Defect liability period is for One Year from the date of completion of the Work. During this period any shortfall/defect noticed in the work, the same firm is liable for rectification on free of cost within 30 days on receipt of written communication, otherwise the Security Deposit shall be forfeited.**
21. **The supplier/firm has to submit the GST return for having remitted the GST amount paid by the institute to the concerned authority within 30 days from receipt of payment from IIHR, otherwise their EMD and SD/PS will not be released and such firms shall be block listed.**
22. **GST extra as applicable should be indicated separately in the column provided. Otherwise such quotes will be rejected.**

Payment Terms: In order to facilitate for speedy settlement of payment you are requested to furnish the following details as below:

1. **Name of the firm:**
2. **Name of the Bank:**
3. **IFSC Code of Bank:**
4. **Name of the Account & Account No.:**
5. **Branch Code:**
6. **Amount to be paid:**
7. **E-mail address of the party:**
8. **GST No. and Pan No. Copies**

‘Terms & Conditions are
acceptable’

Dated

(Authorized signatory of the firm)

Annexure-III

(Reference for BOQ) (To be quoted in format provided on CPP Portal)

Price bid for **Repair and renovation works @ PHT & AE building at ICAR-IIHR, Bangalore.**

Sl. No.	Name of item	Quantity	Per unit price* (in figures/words) (as per BOQ)
01	Repair and renovation works @ PHT & AE building at ICAR- IIHR, Bangalore *	01 Unit	

*Annexure-VIII

- Items should be of reputed make and suitable for high end elite users
- **GST extra as applicable should be indicated separately in the column provided. Otherwise such quotes will be rejected.**
- **The work is to be done at ICAR-IIHR, Bangalore.**

Note: The above mentioned Financial Proposal/Commercial bid format is provided as BoQ_XXXX.xls along with this tender document at <https://eprocure.gov.in/eprocure/app>. Bidders are advised to download this BoQ_XXXX.xls as it is and quote their offer/rates in the permitted column and upload the same in the Financial bid. **Bidder shall not tamper/modify downloaded price bid template in any manner.** In case if the same is found to be tempered/modified in any manner, tender will be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with IIHR.

Annexure-IV

EPABX: 080-23086100 Extn: 218 & 217
FAX: 080-28466291 - Email: purchase.iibr@icar.gov.in



ICAR-INDIAN INSTITUTE OF HORTICULTURAL RESEARCH
HESSARAGHATTA LAKE POST, BANGALORE-560 089

Name of the Firm _____

Registered/Postal Address _____

1	Permanent Account Number (PAN)	
2	GST Registration No.	
3	Bank Details	
a	Bank Name	
b	Branch Address	
c	Account Number	
d	Type of account (current/saving) MICR No.	
e	IFSC Code	

Date:

Name of the Authorized Signatory

Place:

Stamp & Signature

TENDER ACCEPTANCE LETTER
(To be given on Company Letter Head)

Date:

To,
The Director,
ICAR-IIHR,
Hesaraghatta Lake Post,
Bangalore-560089.

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No. _____

Name of Tender/Work:

Dear Sir,

1. I/ We have downloaded/obtained the tender document(s) for the above mentioned 'Tender/work' from the web site(s) namely:

As per your advertisement, given in the above mentioned website(s).

2. I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents lime annexure(s), schedule(s), etc...) which form part of the contract agreement and I/We shall abide hereby the terms/conditions/clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/organization too have also been taken into consideration, while submitting this acceptance letter.
4. I/we hereby unconditionally accept the tender conditions of above mentioned tender documents/corrigendum(s) in its totality/entirely.
5. I/we do hereby declare that our Firm has not been black-listed/debarred by any Govt. Department/Public sector undertaking.
6. I/we certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject that bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL <https://eprocure.gov.in/eprocure/app>.) by clicking on the link '**Online bidder Enrollment**' on the CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (class II or Class III certificates with signing key usage) issued by any certifying authority recognized by CCA India (e.g. Sify/nCode/eMudhra etc.) with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their users ID/password and the password of the DSC/e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal. To facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents/tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS/e-mail in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/help from the Helpdesk.

PREPARATION OF BIDS

- **Bidder are requested to visit the site at the institute and discuss with CTO(Works)/ACTO(Works), ICAR-IIHR, Bangalore before preparing the bid clarify the doubts and understand the requirements.**

- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents- including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF/XLS/RAR/DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use 'My Space' or 'Other important Documents' area available to them to upload such documents. These documents may be directly submitted from the 'My Space' area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other technical issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as 'offline' to pay the tender fee/EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the Format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cell with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is

maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric, encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- Upon the successful and timely submission of bids (i.e. after clicking ‘Freeze Bid Submission’ in the portal), the portal will give a successful bid submission message and a bid summary will be displayed with the bid no. and the date and time of submission of the bid with all other relevant details.
- The bid summary has to printed and kept as an acknowledgement of the submission of the bid.

ASSISSTANCE TO BIDDERS

- Any queries relating to the tender documents and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contract person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Annexure-VII

Details of Works & EMD

Sl. No.	Purchase of item	Qty	Earnest Money in INR	File. No. for reference
01	Repair and renovation works @ PHT & AE building at ICAR-IIHR, Bangalore.	01 UNIT	Rs.9,000/-	F.No.5-155/2021-22/SP/IIHR

Note: EMD defined on to the Portal is MINIMUM. Bidder has to submit the EMD as per item for which quoting for.

***WORK at ICAR-IIHR, Bangalore.**

**Technical Specification for Repair and renovation works @ PHT & AE building
at ICAR- IHR, Bangalore.**

Sl. No.	Details	Unit	Qty.
	Closing of Ventilator AC openings		
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) For window frames (two track frame) for outer member as per approved sample and colour (116mm x 36.50mm- 1.65kg/m x 10mt) for closing of ventilator AC openings	Kg	17
2	Providing and fixing glazing in aluminium window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm) (Modi guard / Saint Gobain)	Sqm	02
3	Vertical blinds to two windows		
4	Providing and fixing vertical (V TB TULIPS) blinds with retractable and sliding mechanism as per approved sample , as required at site with bolt nut washers cleats etc., complete	Sqm	25
5	PVC flooring and floor tiles for one lab		
6	Providing and fixing homogeneous polyvinyl chloride sheet in flooring and skirting in approved pattern on a smooth and damp	Sqm	80

	proof base		
	using rubber based adhesives of approved quality and manufacturer like Dunlop S-758, Fevicol SR 998 or equivalent including rolling with hght wooden roller weighing about 5 kg all complete as directed by Engineering-in-charge in approved colour shade 2.00 mm thick sheet (Bills will be paid as per actuals at site wastages will not be paid extraor considered)		
7	Providing and fixing 1st quality ceramic glazed floor tiles conformingto IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risersof steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.(Naveen / Jonson /Nitco / Orient/ Kajaria/Somany)	Sqm	11
8	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable materialwithin 50 metres lead as per direction of Engineer-in-charge.In cement mortar	Cum	1.50
9	Dismantling aluminium partitions, fixed glazing and including disposalof unserviceable material and stacking of serviceable material within 50 meters lead as directed by Engineer-in-charge.	Sqm	08
10	Dismantling windows (steel) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead Of area 3sq. metres and below	Each	04
11	Providing and fixing approved make and quality stainless steel insectproof mesh (304 grade) as per approved sample with, etc complete as per directions for drain cover inside lab.	Sqm	0.10
	Water supply line for PDL lab washing area		
12	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in	Rmt	20

	Charge. 20 mm nominal dia Pipes		
13	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	Each	04
14	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore		
15	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 25 mm nominal bore	Each	01
	Aluminium partition		
16	<p>Providing and fixing aluminium work in partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc.</p> <p>Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete. (Glazing, panelling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)</p> <p>For fixed portion, partitions 42 Rmt x 1.64 kg/mt (44.45 mm x 101.60 mm- 1.64 kg/mt)</p> <p>hinges/pivots and making provision for fixing of fittings wherever required including the cost of PVC/Neoprene gasket as required</p>	Kg	69
17	<p>Providing and fixing aluminium work in doors with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc.</p> <p>Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass/ stainless steel screws, all complete. (Glazing, panelling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50</p>		

	micron) For shutters of sliding doors / hinged doors, including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasketrequired (Fittings shall be paid for separately) Powder coated aluminium(minimum thickness of powder coating 50 micron) Section for Top horizontal (44.50mm x 48mm at 1.53kg/mt)1.2mt x 1.53kg/mt x 01 nos Section for center of door horizontal (44.50mm x 48mm at 0.897 kg/mt) 1.2mt x 0.897 kg/mt x 01 nos Section for bottom horizontal (100 mm x 44.45mm at 1.92 kg/mt) 1.2mt x 0.89kg/mt x 01 nos Section for Vertical (44.50mm x 47.62 mm at 1.052 kg/mt) 02 nos x 2.10mt x 1.92 kg/mt For fixing glass and novapen 200 mt x 0.101 kg/mt(19.05 mm x12.27 mm- 0.101 kg/mt)		
		Kg	02
		Kg	01
		Kg	01
		Kg	08
		Kg	20
18	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windowshutters and partition frames with C.P. brass / stainless steel screws etc. complete , Pre-laminated particle board with decorative lamination on both sides as per approved sample (CPWD approved –Kitply / National/ Century)	Sqm	06
	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10 kg/ sqm) (Pinheaded glass) (Modi guard / Saint Gobain)	Sqm	45
19	Providing and fixing standard door locks for aluminium doors with two keys (as per approved sample)	Nos	01
	Providing 2,000 Lts PVC overhead tank with piping		
20	Supplying and fixing Triple layer PVC overhead tank with necessary bush , fittings etc., complete as required at site 2,000 lts tank x 2 nos	Lts	4,000
21	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply		

	including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes 25 mm nominal dia Pipes	Rmt Rmt	36 24
22	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete 20 mm nominal bore	Each	02
23	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) 25 mm nominal bore	Each	02
	Providing concrete platform 20' x 50' behind PHT building		
24	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer- incharge. All kinds of soil	Sqm	21
25	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement: 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources , for platform concrete	Cum	15
26	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural	Cum	05
	sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) for platform concrete		
27	Providing plastering 12 mm cement plaster of mix : 1:6 (1cement: 6fine sand) For floor concrete plat form	Sqm	85
28	Centering and shuttering including strutting, propping etc. and removal of form work for : floor concrete	Sqm	10

Sd/-
SAO